

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	491	702/63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:08
L3	571	324/425	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:08
L4	202	340/636.1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:08
L5	313	700/292	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:08
L6	563	320/127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:09
L7	563	320/127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:09
L8	2	(calcuatl\$4 or estimate\$4)with batter\$4 with capacit\$4 with correct\$4 with factor\$4 and temperature and current and resistance .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:09
S1	5	(calcuatl\$4 or estimate\$4)with batter\$4 with capacit\$4 with correct\$4 with factor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:07
S2	0	(calcuatl\$4 or estimate\$4)with batter\$4 with capacit\$4 with correct\$4 with factor\$4 and mobil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:17

## EAST Search History

S3	4	(calcuatl\$4 or estimate\$4)with batter\$4 with capacit\$4 with correct\$4 with factor\$4 and temperature and current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 12:09
S4	4	(calcuatl\$4 or estimate\$4)with batter\$4 with capacit\$4 with correct\$4 with factor\$4 and temperature and current and resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:09
S5	1	(calcuatl\$4 or estimate\$4)with batter\$4 with capacit\$4 with correct\$4 with factor\$4 and temperature and current and serie with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 11:34
S9	1	(calcuatl\$4 or estimate\$4)with batter\$4 with capacit\$4 with correct\$4 with factor\$4 and phone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 14:20
S13	7	batter\$4 with capacity\$4 with (measur\$4 or determin\$4) with (unload or no adj1 load)with load with condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:21
S29	127	batter\$4 with capacity\$4 with (measur\$4 or determin\$4) with condition and (warn\$4 or alert\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:57
S30	11	batter\$4 with capacity\$4 with (measur\$4 or determin\$4) with load with load with condition and (warn\$4 or alert\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:02
S32	11	batter\$4 with capacity\$4 with (measur\$4 or determin\$4) with load with condition and (warn\$4 or alert\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 09:14
S40	3	batter\$4 with capacity\$4 with (measur\$4 or determin\$4) with (unload or no adj1 load)with load with batter\$3 with funct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:25

## EAST Search History

S42	2	batter\$4 with capacity\$4 with (measur\$4 or determin\$4) with (unload or no adj1 load)with load with batter\$3 and (telephone or phone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:53
S43	7	batter\$4 with capacity\$4 with (measur\$4 or determin\$4) with (unload or no adj1 load)with load with batter\$3 and radio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:53
S44	2	(calculat\$4 or estimate\$4)with batter\$4 with capacit\$4 with correct\$4 with factor\$4 and temperature and current and resistance .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 14:28



Application Number

**IDS Flag Clearance for Application 10668763****IDS  
Information**

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2005-11-21	44	Y <input checked="" type="checkbox"/>	2005-12-14 12:56:31.0	TLau
M844	2005-03-25	27	Y <input checked="" type="checkbox"/>	2005-04-01 06:59:19.0	awalker1
M844	2004-01-26	18	Y <input checked="" type="checkbox"/>	2004-04-07 11:10:51.0	pbritton
<input type="button" value="Update"/>					